

# CE MARKING TEST REPORTS AND TECHNICAL DOCUMENTATION

Equipment : Multi-Function Printer  
Model : **TASKalfa 3500i / 4500i / 5500i**  
Power Source : AC220~240V, 50Hz  
Manufacturer : KYOCERA MITA CORPORATION

## TABLE OF CONTENTS

### SECTION 1 ..... Test Reports of Immunity (EN55024)

*Electrostatic Discharge Immunity Test (EN61000-4-2)*

*Radiated RF Electromagnetic Field Immunity Test (EN61000-4-3+ENV50204)*

*Electrical Fast Transient/Burst Immunity Test (EN61000-4-4)*

*Surge Immunity Test (EN61000-4-5)*

*Conducted RF Electromagnetic Field Immunity Test (EN61000-4-6)*

*Power-Frequency Magnetic Field Immunity Test (EN61000-4-8)*

*Voltage Dips, Short Interruptions*

*and Voltage Variations Immunity Test (EN61000-4-11)*

### SECTION 2 ..... Test Reports of Emission

*Radiated Interference Measurement (EN55022)*

*Conducted Interference Measurement (EN55022)*

*Harmonics Measurement (EN61000-3-2)*

*Voltage Fluctuations/Flicker Measurement (EN61000-3-3)*

### SECTION 3 ..... Test Reports for the Connection to the Analog PSTNs (TBR21)

### SECTION 4 ..... Test Reports for the Radio Spectrum (EN 300 330-1, EN300 330-2)

### SECTION 5 ..... Test Reports of Safety (EN60950-1, EN60825-1)

and Technical Documentation

### SECTION 6 ..... Test Report of Power Consumption (EN62301)

### SECTION 7 ..... Instruction Handbook

### SECTION 8 ..... Declaration of Conformity for OEM

Report Approved by Yukio Okajo



Manager  
Reliability Assurance Section 12  
Reliability Assurance Department

30 March, 2011

## **(NOTE)**

*TASKalfa 3500i, TASKalfa 4500i and TASKalfa 5500i is quite same except copy speed.*

*The copy speed of*

	<i>A4 copy size</i>
<b><i>TASKalfa 3500i</i></b>	<i>35copiers/min.</i>
<b><i>TASKalfa 4500i</i></b>	<i>45copiers/min.</i>
<b><i>TASKalfa 5500i</i></b>	<i>55copiers/min.</i>

*(The copy speed of these models is changed only using the software.)*

*We considered that there would be no effect to EMC when the copy speed was changed only using the software.*

*In accordance with this consideration, we concluded that the measurement was conducted only for **TASKalfa 5500i** having the superior specifications.*